

bs-21013R**[Primary Antibody]****Bioss**
ANTIBODIES

www.bioss.com.cn


sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

PAN3 Rabbit pAb**— DATASHEET —**

| | | |
|---|----------------------|---|
| Host: Rabbit | Isotype: IgG | Applications: IHC-P (1:100-500) IHC-F (1:100-500) IF (1:100-500) Reactivity: Mouse (predicted: Human, Rat, Rabbit, Pig, Sheep, Cow, Chicken, Dog, Horse) Predicted MW.: 96 kDa Subcellular Location: Cytoplasm |
| Clonality: Polyclonal | | |
| GeneID: 255967 | SWISS: Q58A45 | |
| Target: PAN3 | | |
| Immunogen: KLH conjugated synthetic peptide derived from human PAN3: 541-640/887. | | |
| Purification: affinity purified by Protein A | | |
| Concentration: 1mg/ml | | |
| Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles. | | |
| Background: PAN3 (PAN3 Poly(A) Specific Ribonuclease Subunit) is a Protein Coding gene. Among its related pathways are Deadenylation-dependent mRNA decay and Gene Expression. GO annotations related to this gene include transferase activity, transferring phosphorus-containing groups and poly(A)-specific ribonuclease activity. | | |

— VALIDATION IMAGES —

Paraformaldehyde-fixed, paraffin embedded (mouse brain tissue); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (PAN3) Polyclonal Antibody, Unconjugated (bs-21013R) at 1:400 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.