## bs-23618R

# [ Primary Antibody ]

# BIOSS ANTIBODIES www.bioss.com.cn sales@bioss.com.cn

# TAS1R3 Rabbit pAb

sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

DATASHEET -

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

GenelD: 83756 SWISS: Q7RTX0

Target: TAS1R3

**Immunogen:** KLH conjugated synthetic peptide derived from human TAS1R3:

431-530/852. < Extracellular >

**Purification:** affinity purified by Protein A

Concentration: 1mg/ml

**Storage:** 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%

Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated

freeze/thaw cycles.

**Background:** The protein encoded by this gene is a G-protein

coupled receptor involved in taste responses. The encoded protein can form a heterodimeric receptor with TAS1R1 to elicit the umami taste response, or it can bind with TAS1R2 to form a receptor for the sweet

taste response. [provided by RefSeq, Nov 2015]


**Applications: WB** (1:500-2000)

Reactivity: Human (predicted: Mouse)

Predicted 92 kDa

Subcellular Location: Cell membrane

### VALIDATION IMAGES



Sample: Lane 1: Human HepG2 cell lysates Lane 2: Human HeLa cell lysates Lane 3: Human HL-60 cell lysates Lane 4: Human K562 cell lysates Lane 5: Human Jurkat cell lysates Primary: Anti-TAS1R3 (bs-23618R) at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 92 kDa Observed band size: 120 kDa

### - SELECTED CITATIONS -

- [IF=9.8] Minbo Li. et al. A novel strategy based on mouse organoid biosensor for detecting umami substances and their synergistic effect. FOOD CHEM. 2025 Jun;:145149 IF; Mouse. 40561760
- [IF=6.7] Yu Shanjun. et al. Extendin-4 blockade of T1R2/T1R3 activation improves Pseudomonas aeruginosa-related pneumonia in an animal model of chemically induced diabetes. INFLAMM RES. 2024 May;:1-17 IF; Rat, Human. 38748233
- [IF=4.8] Shanjun Yu. et al.Exendin-4 blockade of T1R2/T1R3 activation improves Pseudomonas aeruginosa-related pneumonia in an animal model of chemically induced diabetes.Inflammation Research.2024 Jul;73(7):1185-1201. IF ;Human, Rat. 38748233