

**bs-11347R****[ Primary Antibody ]****GRID2IP Rabbit pAb**

www.bioss.com.cn

sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

**— DATASHEET —**

<b>Host:</b> Rabbit	<b>Isotype:</b> IgG	<b>Applications:</b> <b>IHC-P</b> (1:100-500) <b>IHC-F</b> (1:100-500) <b>IF</b> (1:100-500) <b>ICC/IF</b> (1:100-500) <b>ELISA</b> (1:5000-10000)  <b>Reactivity:</b> (predicted: Human, Mouse, Rat, Sheep, Cow, Dog, Horse)  <b>Predicted MW.:</b> 132 kDa  <b>Subcellular Location:</b> Cell membrane
<b>Clonality:</b> Polyclonal		
<b>GeneID:</b> 392862	<b>SWISS:</b> A4D2P6	
<b>Target:</b> GRID2IP		
<b>Immunogen:</b> KLH conjugated synthetic peptide derived from human GRID2IP: 921-1020/1121.		
<b>Purification:</b> affinity purified by Protein A		
<b>Concentration:</b> 1mg/ml		
<b>Storage:</b> 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		
<b>Background:</b> Grid2ip is a postsynaptic scaffolding protein that contains one formin homology 2 (FH2) domain and two PDZ (postsynaptic density-95/discs-large/ZO-1) domains. Expressed in Purkinje cells of the cerebellum and localizing specifically to parallel fiber synapses, Grid2ip interacts with the C-terminus of GluR-Delta 2 and, via this interaction, links GluR-Delta 2 with various signaling molecules and the Actin cytoskeleton. GluR-Delta 2 is a glutamate receptor with an important role in motor learning, cerebellar wiring and synaptic plasticity. Due to alternative splicing events, three Grid2ip isoforms exist, namely L-delphilin, S-delphilin (or delphilin-Alpha) and delphilin-Beta. Each isoform exhibits individual expression patterns and protein interactions. Isoform 2, delphilin-Alpha, is palmytoylated, a modification that is essential for the enhanced expression of GluR-Delta 2 on the cell surface. This modification of delphilin-Alpha also mediates the accumulation of delphilin-Alpha in dendritic spines.		