bs-11696R

[Primary Antibody]

HAP40 Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET –		400-901-9800
Host: Rabbit	Isotype: IgG	Applications: WB (1:500-2000)
Clonality: Polyclonal		IHC-P (1:100-500) IHC-F (1:100-500)
GenelD: 474383	SWISS: P23610	IF (1:100-500)
Target: HAP40		ICC/IF (1:100-500)
Immunogen: KLH conjugated synthetic peptide derived from human HAP40: 2-80/371.		Reactivity: (predicted: Human, Mouse,
Purification: affinity purified by P	rotein A	Rat, Cow)
Concentration: 1mg/ml		
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		Predicted MW.: ^{39 kDa} Subcellular Location: ^{Nucleus}
Background: This gene is part of a region that is repeated three times on chromosome X, once in intron 22 of the F8 gene and twice closer to the Xq telomere. This record represents the middle copy. Although its function is unknown, the observation that this gene is conserved in the mouse implies it has some function. Unlike factor VIII, this gene is transcribed abundantly in a wide variety of cell types. [provided by RefSeq, Jul 2008]		oser to lough factor