bs-8811R

[Primary Antibody]

IL-37 Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET –		400-901-9800
Host: Rabbit	Isotype: IgG	Applications: IHC-P (1:100-500) IHC-F (1:100-500)
Clonality: Polyclonal GeneID: 27178 Target: IL-37	SWISS: Q9NZH6	IF (1:100-500) ICC/IF (1:100-500) ELISA (1:5000-10000)
Immunogen: KLH conjugated synthetic peptide derived from human IL-37: 101-200/218.		Reactivity: (predicted: Human)
Purification: affinity purified by F	Protein A	
Concentration: 1mg/ml Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		Predicted MW.: ^{19 kDa} Subcellular Location: ^{Cytoplasm} ,Nucleus
cytokine family. Thi interleukin 18 recep to interleukin 18 bir protein of interleuk with IL18 receptor b activity of IL18. This family genes form a alternatively spliced	d by this gene is a member of the interleukin is s cytokine can bind to, and may be a ligand fo tor (IL18R1/IL-1Rrp). This cytokine also binds inding protein (IL18BP), an inhibitory binding in 18 (IL18), and subsequently forms a comple beta subunit, and through which it inhibits the gene along with eight other interleukin 1 cytokine gene cluster on chromosome 2. Five I transcript variants encoding distinct isoform . [provided by RefSeq, Jul 2008]	