## bs-19177R

## [ Primary Antibody ]

## Myoferlin Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET –		400-901-9800
Host: Rabbit	lsotype: IgG	Applications: IHC-P (1:100-500)
Clonality: Polyclonal		IHC-F (1:100-500) IF (1:100-500)
GenelD: 26509	SWISS: Q9NZM1	ICC/IF (1:100-500)
Target: Myoferlin		ELISA (1:5000-10000)
Immunogen: KLH conjugated synthetic peptide derived from human Myoferlin: 801-950/2061.		<b>Reactivity:</b> (predicted: Human, Mouse, Rat, Dog, Horse)
Purification: affinity purified by F	Protein A	
Concentration: 1mg/ml		Predicted MW.: <sup>234</sup> kDa
<b>Storage:</b> 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		Subcellular Location: Cell membrane
membrane, can cau and distal muscles. membrane protein member of the ferli nuclear membrane role in calcium-med it may be involved i transcript variants of this gene. Other pos	lin, a protein associated with the plasma ise muscle weakness that affects both proximal The protein encoded by this gene is a type II that is structurally similar to dysferlin. It is a n family and associates with both plasma and s. The protein contains C2 domains that play a diated membrane fusion events, suggesting that n membrane regeneration and repair. Two encoding different isoforms have been found for ssible variants have been detected, but their as not been determined. [provided by RefSeq,	: