bs-0297M-Cy3

## [ Secondary Antibodies ]

## Mouse Anti-Human IgG H&L, Cy3 conjugated



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET –––––		400-901-9800
Host: Mouse	<b>lsotype:</b>  gG	Applications: IF (1:100-1000) Flow-Cyt (1:100-1000)
<b>Target:</b> Mouse Anti-Human IgG H&L <b>Purification:</b> affinity purified by Protein G		ICC/IF (1:100-1000) Excitation Spectrum: 552nm Emission spectrum: 570nm Reactivity: Human
glycerol.	vith 1% BSA, 0.03% Proclin300 and 50	)%
Background: Immunoglobulin G (Ig serum with normal le is important for our d molecules are produc adaptive immune res functions; to bind to recruit other cells and variability of the IgG g	gG), is one of the most abundant prot vels between 8-17 mg/mL in adult blc efence against microorganisms and t ced by B lymphocytes as a part of our ponse. The IgG molecule has two sep he pathogen that elicited the respon d molecules to destroy the antigen. Th pool is generated by somatic recombi ecificities in an individual at a given t	eins in bod. IgG he arate se and to he nation