bs-14376R

- DATASHEET -

[Primary Antibody]


DNAJB9 Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

Host: Rabbit Isotype: IgG Applications: IHC-P (1:100-500) IHC-F (1:100-500) Clonality: Polyclonal IF (1:100-500) GenelD: 4189 SWISS: Q9UBS3 Reactivity: Mouse (predicted: Human, Target: DNAJB9 Rat, Rabbit, Pig, Cow, Chicken, Dog, Horse, Immunogen: KLH conjugated synthetic peptide derived from human DNAJB9: Chimpanzee) 24-120/223. Predicted 23 kDa Purification: affinity purified by Protein A Concentration: 1mg/ml Subcellular Location: Cytoplasm Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles. Background: This gene is a member of the J protein family. J proteins function in many cellular processes by regulating the ATPase activity of 70 kDa heat shock proteins. This gene is a member of the type 2 subgroup of DnaJ proteins. The encoded protein is localized to the endoplasmic reticulum. This protein is induced by endoplasmic reticulum stress and plays a role in protecting stressed cells from

- VALIDATION IMAGES



apoptosis. [provided by RefSeq, Dec 2010]

Tissue/cell: mouse embryo tissue; 4% Paraformaldehyde-fixed and paraffinembedded; Antigen retrieval: citrate buffer (0.01M, pH 6.0), Boiling bathing for 15min; Block endogenous peroxidase by 3% Hydrogen peroxide for 30min; Blocking buffer (normal goat serum,C-0005) at 37°C for 20 min; Incubation: Anti-DNAJB9 Polyclonal Antibody, Unconjugated(bs-14376R) 1:200, overnight at 4°C, followed by conjugation to the secondary antibody(SP-0023) and DAB(C-0010) staining