

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

## OIF Rabbit pAb

Catalog Number: bs-9407R

Target Protein: OIF

Concentration: 1mg/ml

Form: Liquid

Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Applications: IHC-P (1:100-500), IHC-F (1:100-500), IF (1:50-200)

Reactivity: Rat (predicted: Human, Mouse, Rabbit, Pig, Cow, Horse)

Predicted MW: 31 kDa Entrez Gene: 4969 Swiss Prot: P20774

Source: KLH conjugated synthetic peptide derived from human OIF: 101-200/298.

Purification: affinity purified by Protein A

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Background: The small leucine-rich proteoglycan (SLRP) family of proteins contains various proteins such

as Decorin, Biglycan, Fibromodulin, Keratocan, Lumican, Osteoadherin and Osteoglycin.


These proteins all have similar functions as they all mediate extracellular matrix

organization and act as binding partners of TGF beta. Osteoglycin, which also may be designated osteoinductive factor (OIF), is a secreted protein detected in bone tissues.

Osteoglycin induces the formation of bone in conjunction with either TGF-beta-1 or TGF-beta-2. The precursor form of the OGN gene product, designated Mimecan, is subject to in

situ proteolytic cleavage to yield the mature Osteoglycin.

## **VALIDATION IMAGES**



Tissue/cell: rat bone marrow; 4% Paraformaldehyde-fixed and paraffin-embedded; Antigen retrieval: citrate buffer ( 0.01M, pH 6.0 ), Boiling bathing for 15min; Block endogenous peroxidase by 3% Hydrogen peroxide for 30min; Blocking buffer (normal goat serum,C-0005) at 37°C for 20 min; Incubation: Anti-OIF Polyclonal Antibody, Unconjugated(bs-9407R) 1:200, overnight at 4°C, followed by conjugation to the secondary antibody(SP-0023) and DAB(C-0010) staining

diabetic osteoporosis. SCI REP-UK. 2024 Jun;14(1):1-13 IHC;38862780	[IF=3.8] Zhang Yang. et al. miRNA-seq analysis of high glucose induced osteoblasts provides insight into the mechanism underlying						
				, ,	, 0		