bs-3675R

[Primary Antibody]

Bioss ANTIBODIES

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn

R-cadherin Rabbit pAb

- DATASHEET -

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

GenelD: 1002 **SWISS:** P55283

Target: R-cadherin

Immunogen: KLH conjugated synthetic peptide derived from human R-cadherin:

401-500/916.

Purification: affinity purified by Protein A

Concentration: 1mg/ml

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%

Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated

freeze/thaw cycles.

Background: Cadherins constitute a superfamily of calcium-dependent

intercellular adhesion molecules and are thought to play a role in cell recognition and segregation, morphogenetic regulation, and tumor suppression. R Cadherin is expressed mainly in the brain but

is also found in other tissues.

Applications: IHC-P (1:100-500)

400-901-9800

IHC-F (1:100-500) **IF** (1:100-500)

Reactivity: Human (predicted: Mouse,


Rat, Cow, Chicken, Dog,

Horse)

Predicted MW.: 81 kDa

Subcellular Location: Cell membrane

VALIDATION IMAGES



Tissue/cell: human lung carcinoma; 4%
Paraformaldehyde-fixed and paraffinembedded; Antigen retrieval: citrate buffer (0.01M, pH 6.0), Boiling bathing for 15min; Block endogenous peroxidase by 3% Hydrogen peroxide for 30min; Blocking buffer (normal goat serum,C-0005) at 37°C for 20 min; Incubation: Anti-R-cadherin/Cadherin 4 Polyclonal Antibody, Unconjugated(bs-3675R) 1:200, overnight at 4°C, followed by conjugation to the secondary antibody(SP-0023) and DAB(C-0010) staining