

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

GPR15 Rabbit pAb

Catalog Number: bs-3699R

Target Protein: GPR15
Concentration: 1mg/ml

Form: Liquid

Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Applications: IHC-P (1:100-500), IHC-F (1:100-500), IF (1:200-800)

Reactivity: Human, Mouse, Rat (predicted:Rabbit, Dog, Horse)

Predicted MW: 40 kDa Entrez Gene: 2838

Swiss Prot: P49685

Source: KLH conjugated synthetic peptide derived from human GPR15: 51-150/360.

Purification: affinity purified by Protein A

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.


Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Background: This gene encodes a G protein-coupled receptor that acts as a chemokine receptor for


human immunodeficiency virus type 1 and 2. The encoded protein localizes to the cell

membrane. [provided by RefSeq, Nov 2012]

VALIDATION IMAGES



Tissue/cell: rat stomach tissue; Frozen section; Block endogenous peroxidase by 3% Hydrogen peroxide for 30min; Blocking buffer (normal goat serum, C-0005) at 37°C for 20 min; Incubation: Anti-GPR15 Polyclonal Antibody, Unconjugated(bs-3699R) 1:200, overnight at 4°C, followed by conjugation to the secondary antibody(SP-0023) and DAB(C-0010) staining



Tissue/cell: Mouse stomach tissue; 4% Paraformaldehyde-fixed and paraffin-embedded; Antigen retrieval: citrate buffer (0.01M, pH 6.0), Boiling bathing for 15min; Block endogenous peroxidase by 3% Hydrogen peroxide for 30min; Blocking buffer (normal goat serum,C-0005) at 37°C for 20 min; Incubation: Anti-GPR15 Polyclonal Antibody, Unconjugated(bs-3699R) 1:200, overnight at 4°C, followed by conjugation to the secondary antibody(SP-0023) and DAB(C-0010) staining