bs-0295M-BF488

## [ Secondary Antibodies ]

## Mouse Anti-Rabbit IgG H&L, BF488 conjugated



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

- DATASHEET		400-901-9800
Host: Mouse	<b>lsotype:</b> IgG	Applications: IF (1:100-1000)
Clonality: Polyclonal		Flow-Cyt (1:100-1000) ICC/IF (1:100-1000)
Target: Mouse Anti-Rabbit IgG H&L		Excitation Spectrum: 488nm Emission spectrum: 519nm
Purification: affinity purified by Protein G Concentration: 2.0 mg/ml		Reactivity: Rabbit
glycerol.	with 1% BSA, 0.03% Proclin300 and 509 9 year. Avoid repeated freeze/thaw cycl	
serum with normal le is important for our c molecules are produ adaptive immune res functions; to bind to recruit other cells an variability of the IgG	gG), is one of the most abundant proteines wels between 8-17 mg/mL in adult block befence against microorganisms and the ced by B lymphocytes as a part of our sponse. The IgG molecule has two sepa the pathogen that elicited the response d molecules to destroy the antigen. The pool is generated by somatic recombin pecificities in an individual at a given tir be 1011 variants.	od. IgG ie rate e and to e iation