bs-10927R

[Primary Antibody]

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

Aquaporin 5 Rabbit pAb

DATASHEET -

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

GenelD: 362 SWISS: P55064

Target: Aquaporin 5

Immunogen: KLH conjugated synthetic peptide derived from human Aquaporin

5: 151-250/265. < Extracellular >

Purification: affinity purified by Protein A

Concentration: 1mg/ml

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%

Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated

freeze/thaw cycles.

Background: Aquaporin 5 (AQP5) is a water channel protein. Aquaporins are a family of small integral membrane proteins related to the major

intrinsic protein (MIP or AQP0). Aquaporin 5 plays a role in the generation of saliva, tears and pulmonary secretions. AQP0, AQP2,

AQP5, and AQP6 are closely related and all map to 12q13.

[provided by RefSeq, Jul 2008]

Applications: WB (1:500-2000)

IHC-P (1:100-500) **IHC-F** (1:100-500) **IF** (1:100-500)

Reactivity: Human, Rat


(predicted: Mouse, Pig)

Predicted


29 kDa MW.:

Subcellular Cell membrane

VALIDATION IMAGES



Sample: Eye (Rat) Lysate at 40 ug Primary: Anti-Aquaporin 5 (bs-10927R) at 1/300 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 29 kD Observed band size: 29 kD



Tissue/cell: human laryngocarcinoma; 4% Paraformaldehyde-fixed and paraffinembedded; Antigen retrieval: citrate buffer (0.01M, pH 6.0), Boiling bathing for 15min; Block endogenous peroxidase by 3% Hydrogen peroxide for 30min; Blocking buffer (normal goat serum, C-0005) at 37°C for 20 min; Incubation: Anti-Aquaporin Polyclonal Antibody, Unconjugated(bs-10927R) 1:500, overnight at 4°C, followed by conjugation to the secondary antibody(SP-0023) and DAB(C-0010) staining

— SELECTED CITATIONS –

- [IF=3.266] Dai TQ et al. In vitro transdifferentiation of adipose tissue-derived stem cells into salivary gland acinar-like cells. Am J Transl Res. 2019 May 15;11(5):2908-2924. ICC, WB; Mouse. 31217863
- [IF=2.7] Maren E. Buenning, et al. Short-Time Alternating Current Electrical Stimulation and Cell Membrane-Related Components. APPL SCI-BASEL. 2024 Jan;14(2):812 IF; Human. 10.3390/app14020812
- [IF=2.9] Cunping Yin. et al. Notch 2 from bone marrow mesenchymal stem cells alleviates smoke inhalation-induced lung injury by mediating alveolar cell differentiation...JOURNAL OF MOLECULAR HISTOLOGY.2025 Mar 22;56(2):113. Western blot; Rat. 40119225
- [IF=2.027] Ba F et al. Lipoxin A4 ameliorates alveolar fluid clearance disturbance in lipopolysaccharide-induced lung