### bs-18210R

## [ Primary Antibody ]


# **Calcitonin Rabbit pAb**




www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET –––––		400-901-9800
Host: Rabbit Clonality: Polyclonal	<b>Isotype:</b> IgG	Applications: WB (1:500-2000) IHC-P (1:100-500)
GenelD: 796	SWISS: P01258	IHC-F (1:100-500) IF (1:100-500)
<b>Target:</b> Calcitonin <b>Immunogen:</b> KLH conjugated synthetic peptide derived from human Calcitonin: 85-116/141.		conin: Reactivity: Mouse (predicted: Human, Rat, Rabbit, Dog, GuineaPig)
<b>Purification:</b> affinity purified by Protein A <b>Concentration:</b> 1mg/ml <b>Storegau</b> 0.0114 TPC (2017-4) with 10( PCA-0.020) Provision200 and 500)		Predicted MW.: <sup>3.5/13</sup> kDa
<b>Storage:</b> 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		Subcellular Location: <sup>Secreted</sup>
calcitonin, the latter arises once preproc composed of 116 ar	is a peptide precursor of the hormone r being involved with calcium homeostasi: alcitonin is cleaved by endopeptidase. It is nino acids and is produced by parafollicul thyroid and by the neuroendocrine cells o ne.	s lar

#### – VALIDATION IMAGES



Sample: Cerebrum (Mouse) Lysate at 40 ug Primary: Anti-Calcitonin (bs-18210R) at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 3.5/13 kD Observed band size: 17 kD



Paraformaldehyde-fixed, paraffin embedded (Mouse brain); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (Calcitonin) Polyclonal Antibody, Unconjugated (bs-18210R) at 1:400 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructionsand DAB staining.

### - SELECTED CITATIONS -

- [IF=7.3] Aida Maddahi. et al. Sex differences in expression of CGRP family of receptors and ligands in the rat trigeminal system. J HEADACHE PAIN. 2024 Nov;25(1):193 IHC ;Rat. 39516766
- [IF=4.132] Xiang, Chengyu. et al. Fasudil Ameliorates Osteoporosis Following Myocardial Infarction by Regulating Cardiac Calcitonin Secretion. J CARDIOVASC TRANSL. 2022 May;:1-14 IHC ;MOUSE. 35551627
- [IF=1.834] Fang Dai. et al. Effects of long term diabetogenic high fat diet on bone in ovariectomized female rats. BIOTECH HISTOCHEM. 2022 Jun 28 IHC ;Rat. 35762155