

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

## Goat Anti-Mouse IgG H&L, APC conjugated

Catalog Number: bs-0296G-APC

Target Protein: Goat Anti-Mouse IgG H&L

Concentration: 2.0 mg/ml

Form: Liquid Host: Goat

Clonality: Polyclonal

Isotype: IgG

Applications: IF (1:100-1000), Flow-Cyt (1:100-1000)

Excitation spectrum: 650nm Emission spectrum: 660nm

Not yet tested in other applications.

Optimal working dilutions must be determined by the end user.

Reactivity: Mouse

Purification: affinity purified by Protein G, nonspecific adsorbed

Storage: 10 mM TBS (pH=7.4) with 1% BSA, 0.03% Proclin300 and 50% glycerol.

Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Background: Immunoglobulin G (IgG), is one of the most abundant proteins in serum with normal levels

between 8-17 mg/mL in adult blood. IgG is important for our defence against

microorganisms and the molecules are produced by B lymphocytes as a part of our adaptive immune response. The IgG molecule has two separate functions; to bind to the pathogen that elicited the response and to recruit other cells and molecules to destroy the antigen. The variability of the IgG pool is generated by somatic recombination and the number of

specificities in an individual at a given time point is estimated to be 1011 variants.

## PRODUCT SPECIFIC PUBLICATIONS

[IF=3.575] Huayuan Liu. et al. FNDC5 induces M2 macrophage polarization and promotes hepatocellular carcinoma cell growth by affecting the PPARy/NF-κB/NLRP3 pathway. Biochem Bioph Res Co. 2021 Dec;582:77 IF; Human . 34695754