bs-0295D-PE

[Secondary Antibodies]

Donkey Anti-Rabbit IgG H&L, PE conjugated



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET –––––		400-901-9800
Host: Donkey	lsotype: IgG	Applications: IF (1:100-1000)
Clonality: Polyclonal		Flow-Cyt (1:100-1000) ICC/IF (1:100-1000)
Target: Donkey Anti-Rabbit IgG H&L		Excitation Spectrum: 496/564nm Emission spectrum: 578nm
Purification: affinity purified by Pr	rotein G	
Concentration: 2.0 mg/ml		Reactivity: Rabbit
glycerol.	with 1% BSA, 0.03% Proclin300 and 50 e year. Avoid repeated freeze/thaw cyo	
serum with normal le is important for our o molecules are produ adaptive immune res functions; to bind to recruit other cells an variability of the IgG	gG), is one of the most abundant prot evels between 8-17 mg/mL in adult blu defence against microorganisms and t ced by B lymphocytes as a part of our sponse. The IgG molecule has two sep the pathogen that elicited the respon d molecules to destroy the antigen. T pool is generated by somatic recombi pecificities in an individual at a given t be 1011 variants.	ood. IgG the parate ise and to he ination