bs-0295G-BF555

— DATASHEFT —

[Secondary Antibodies]

Goat Anti-Rabbit IgG H&L, BF555 conjugated



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

DATASITELT		
Host: Goat	Isotype: IgG	Applications: IF (1:100-1000)
Clonality: Polyclonal		Flow-Cyt (1:100-1000) ICC/IF (1:100-1000)
Target: Goat Anti-Rabbit IgG H&L		Excitation Spectrum: 555nm Emission spectrum: 572nm
Purification: affinity purified by Protein G, nonspecific adsorbed		
Concentration: 2.0 mg/ml		Reactivity: Rabbit
Storage: 10 mM TBS (pH=7.4) with 1% BSA, 0.03% Proclin300 and 50% glycerol. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		
Background: Immunoglobulin G (IgG), is one of the most abundant proteins in serum with normal levels between 8-17 mg/mL in adult blood. IgG is important for our defence against microorganisms and the molecules are produced by B lymphocytes as a part of our adaptive immune response. The IgG molecule has two separate functions; to bind to the pathogen that elicited the response and to recruit other cells and molecules to destroy the antigen. The variability of the IgG pool is generated by somatic recombination and the number of specificities in an individual at a given time point is estimated to be 1011 variants.		

- SELECTED CITATIONS -

- [IF=27.4] Ying-Tao Zhong. et al.Plasma Membrane Targeted Photodynamic Nanoagonist to Potentiate Immune Checkpoint Blockade Therapy by Initiating Tumor Cell Pyroptosis and Depleting Infiltrating B Cells.ADVANCED MATERIALS.2025 Feb 26:e2415078. IF,flow cytometry ;Rabbit. 40012447
- [IF=15.7] Wang Xinyu. et al. PRMT3 reverses HIV-1 latency by increasing chromatin accessibility to form a TEAD4-P-TEFb-containing transcriptional hub. NAT COMMUN. 2025 May;16(1):1-18 IF ;Human. 40374607
- [IF=14.7] Ruofei Zhang. et al. Hypoxia-tropic delivery of nanozymes targeting transferrin receptor 1 for nasopharyngeal carcinoma radiotherapy sensitization.NATURE COMMUNICATIONS.2025 Jan 21;16(1):890. IF ;Mouse. 39837820
- [IF=13.3] Ying-Tao Zhong. et al.Chemotherapeutics-enabled apoptosis-pyroptosis switch to trigger adaptive and innate immunity for metastatic breast cancer immunotherapy.CHEMICAL ENGINEERING JOURNAL.2025 Jan Western blot ;Mouse.
- [IF=9.3] Gao Dandan. et al. Enhancing Th17 cells drainage through meningeal lymphatic vessels alleviate neuroinflammation after subarachnoid hemorrhage. J NEUROINFLAMM. 2024 Dec;21(1):1-17 IF ;MOUSE. 39428510