## bs-12116R

## [ Primary Antibody ]

## EBF1 Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

| – DATASHEET –   |                     | 400-901-9800  |
|---|---------------------|---|
| Host: Rabbit  | <b>Isotype:</b> IgG | Applications: IHC-P (1:100-500)   |
| Clonality: Polyclonal   |                     | IHC-F (1:100-500)<br>IF (1:100-500)   |
| GenelD: 1879  | SWISS: Q9UH73       | ICC/IF (1:100-500)  |
| Target: EBF1  |                     | <b>ELISA</b> (1:5000-10000)   |
| Immunogen: KLH conjugated synthetic peptide derived from human EBF1: 75-170/591.  |                     | <b>Reactivity:</b> (predicted: Human, Mouse,<br>Rat, Cow, Chicken, Dog,<br>Horse) |
| Purification: affinity purified by Protein A  |                     |   |
| Concentration: 1mg/ml   |                     | Bredicted   |
| Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.  |                     | Predicted<br>MW.: <sup>64 kDa</sup>   |
| Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.   |                     | Subcellular<br>Location: Nucleus  |
| <b>Background:</b> Transcriptional activator which recognizes variations of the palindromic sequence 5'-ATTCCCNNGGGAATT-3'. |                     |   |
|   |                     |   |

## - SELECTED CITATIONS -------

• [IF=3.7] Xiaohuan Chao. et al. Abnormal DNA methylation of EBF1 regulates adipogenesis in chicken. BMC GENOMICS. 2025 Mar;26:275 WB ;Chicken. 40114082