bs-19188R

[Primary Antibody]

RPL23A Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

- DATASHEET		400-901-9800
Host: Rabbit	Isotype: IgG	Applications: IHC-P (1:100-500)
Clonality: Polyclonal		IHC-F (1:100-500) IF (1:100-500)
GenelD: 6147	SWISS: P62750	ICC/IF (1:100-500)
Target: RPL23A		ELISA (1:5000-10000)
Immunogen: KLH conjugated synthetic peptide derived from human RPL23A: 31-100/165.		Reactivity: (predicted: Human, Mouse, Rat, Rabbit, Sheep, Cow, Plants, Soybean, Xenopus tropicalis)
Purification: affinity purified by Protein A		
Concentration: 1mg/ml		
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		Predicted MW.: ^{18 kDa} Subcellular Location: ^{Nucleus}
of a small 40S subu subunits are comp structurally distinc protein that is a co belongs to the L23 the cytoplasm. The involved in mediat corresponding pro gene is co-transcril small nucleolar RN second, and fourth encoding ribosoma	ganelles that catalyze protein synthesis, consist unit and a large 60S subunit. Together these osed of 4 RNA species and approximately 80 t proteins. This gene encodes a ribosomal mponent of the 60S subunit. The protein P family of ribosomal proteins. It is located in e protein may be one of the target molecules ing growth inhibition by interferon. In yeast, the tein binds to a specific site on the 26S rRNA. This bed with the U42A, U42B, U101A, and U101B A genes, which are located in its third, first, introns, respectively. As is typical for genes al proteins, there are multiple processed is gene dispersed through the genome. 'q, Jul 2008]	