bs-16829R

[Primary Antibody]

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

DATASHEET -

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

KRT79 Rabbit pAb

GenelD: 338785 **SWISS:** Q5XKE5

Target: KRT79

Immunogen: KLH conjugated synthetic peptide derived from human KRT79:

1-100/535.

Purification: affinity purified by Protein A

Concentration: 1mg/ml

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%

Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated

freeze/thaw cycles.

Background: Keratins are intermediate filament proteins responsible for the

structural integrity of epithelial cells and are subdivided into epithelial keratins and hair keratins. This gene encodes an epithelial keratin that is expressed in skeletal muscle, skin and scalp. The type II keratins are clustered in a region of chromosome

12q13.[provided by RefSeq, Jun 2009]

Applications: IHC-P (1:100-500)

IHC-F (1:100-500) **IF** (1:100-500) ICC/IF (1:100-500) **ELISA** (1:5000-10000)

Reactivity: (predicted: Human, Mouse,

Rat, Pig, Horse)

Predicted MW.: 58 kDa

Subcellular Location: Cytoplasm

- SELECTED CITATIONS -

• [IF=4.547] Zheng, Qingbo. et al. Construction of transcriptome atlas of white yak hair follicle during anagen and catagen using single-cell RNA sequencing. BMC GENOMICS. 2022 Dec;23(1):1-14 IHC; Yak. 36482306