

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

HDAC4 + 5 + 9 Rabbit pAb

Catalog Number: bs-10763R

Target Protein: HDAC4+5+9

Concentration: 1mg/ml

Form: Liquid

Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Applications: IHC-P (1:100-500), IHC-F (1:100-500), IF (1:100-500), ICC/IF (1:100-500), ELISA (1:5000-10000)

Reactivity: (predicted:Human, Mouse, Rat, Rabbit, Pig, Cow, Horse)

Predicted MW: 119/122/111 kDa

Subcellular Cytoplasm, Nucleus

Locations:

Entrez Gene: 9759

Swiss Prot: P56524

Source: KLH conjugated synthetic peptide derived from human HDAC4 + 5 + 9: 651-750/1084.

Purification: affinity purified by Protein A

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Background: Histones play a critical role in transcriptional regulation, cell cycle progression, and

developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by this gene belongs to class II of the histone deacetylase/acuc/apha family. It possesses histone deacetylase activity and

represses transcription when tethered to a promoter. This protein does not bind DNA directly, but through transcription factors MEF2C and MEF2D. It seems to interact in a

multiprotein complex with RbAp48 and HDAC3. [provided by RefSeq, Jul 2008].