bs-18735R

[Primary Antibody]

BIOSS ANTIBODIES

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

phospho-MCSF Receptor (Tyr561) Rabbit pAb

- DATASHEET -

Host: Rabbit **Isotype:** IgG

Clonality: Polyclonal

GenelD: 1436 **SWISS:** P07333

Target: MCSF Receptor (Tyr561)

Immunogen: KLH conjugated synthesised phosphopeptide derived from human

MCSF Receptor around the phosphorylation site of Tyr561: NS(p-

Y) I F.

Purification: affinity purified by Protein A

Concentration: 1mg/ml

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%

Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated

freeze/thaw cycles.

Background: This protein tyrosine kinase transmembrane receptor is the

receptor for colony stimulating factor 1, a cytokine which controls the production, differentiation, and function of macrophages. This receptor mediates most if not all of the biological effects of this cytokine. Ligand binding activates the receptor kinase through a process of oligomerization and transphosphorylation. The encoded protein is a member of the CSF1/PDGF receptor family of tyrosine protein kinases and contains 5 immunoglobulin like C2 type domains. CD115 is expressed by cells of the monocytic lineage and by progenitor cells. Mutations in this gene have been

and by progenitor cells. Mutations in this gene have been associated with a predisposition to myeloid malignancy.

Applications: ELISA (1:5000-10000)

Reactivity: (predicted: Human, Mouse,

Rat, Pig, Sheep, Cow, Dog,

Horse)

Predicted 120 kDa

Subcellular Cell membrane