## bs-20069R

## [ Primary Antibody ]


## phospho-DNA PKcs (Ser2056) Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET –––––		400-901-9800
Host: Rabbit	<b>lsotype:</b> IgG	Applications: IHC-P (1:100-500)
Clonality: Polyclonal		IHC-F (1:100-500) IF (1:100-500)
GenelD: 5591	SWISS: P78527	
Target: DNA PKcs (Ser2056)		<b>Reactivity:</b> Mouse (predicted: Human, Rat, Rabbit, Horse)
	nthesised phosphopeptide derived fro he phosphorylation site of Ser2056: YS	om human
Purification: affinity purified by Protein A		Predicted MW.: <sup>454</sup> kDa
Concentration: 1mg/ml		MW.: ISTROU
<b>Storage:</b> 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		Location: Mucleus
protein kinase (DNA heterodimer protei recombination. The	the catalytic subunit of the DNA-depe A-PK). It functions with the Ku70/Ku80 n in DNA double strand break repair a e protein encoded is a member of the ided by RefSeq, Jul 2010]	) ind

## – VALIDATION IMAGES -



Paraformaldehyde-fixed, paraffin embedded (Mouse brain); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (phospho-DNA PKcs (Ser2056)) Polyclonal Antibody, Unconjugated (bs-20069R) at 1:400 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructionsand DAB staining.