

bs-2110R

[Primary Antibody]

VSV-G tag Rabbit pAb

Bioss
ANTIBODIES

www.bioss.com.cn

sales@bioss.com.cn


techsupport@bioss.com.cn

400-901-9800

— DATASHEET —

Host: Rabbit	Isotype: IgG	Applications: WB (1:1000-5000) ELISA (1:1000-5000)
Clonality: Polyclonal		Reactivity: Species independent
Target: VSV-G tag		
Purification: affinity purified by Protein A		
Concentration: 1mg/ml		
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		
Background: Vesicular stomatitis virus (VSV), an enveloped RNA virus from the Rhabdoviridae family, is released from the plasma membrane of host cells by a process called budding. The glycoprotein (VSV-g) contains a domain in its extracellular membrane proximal stem that appears to be needed for efficient VSV budding.		

— VALIDATION IMAGES —



Sample: Lane1: VSV-G-Tagged Fusion Protein
Overexpression E.coli Lysate at 2ug Lane2: VSV-
G-Tagged Fusion Protein Overexpression E.coli
Lysate at 2ug Primary: Anti-VSV-G tag (bs-2110R)
at 1/1000 dilution Secondary: IRDye800CW Goat
Anti-Rabbit IgG at 1/20000 dilution Predicted
band size: 41 kD Observed band size: 45 kD