



phospho-EGFR (Tyr1068) Recombinant Rabbit mAb

Catalog Number: bsm-52149R

Target Protein: phospho-EGFR (Tyr1068)

Concentration: 1mg/ml

Form: Liquid Host: Rabbit

Clonality: Recombinant

Clone No.: 7B8
Isotype: IgG

Applications: WB (1:500-1000), IHC-P (1:100-500), IHC-F (1:50-200), IF (1:50-200), ICC/IF (1:50-200)

Reactivity: (predicted:Human, Mouse, Rat)

Entrez Gene: 1956 Swiss Prot: P00533

Source: KLH conjugated Synthesised phosphopeptide derived from human EGFR around the

phosphorylation site of Tyr1068: QR(p-Y)SS.

Purification: affinity purified by Protein A

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Background: The protein encoded by this gene is a transmembrane glycoprotein that is a member of the

protein kinase superfamily. This protein is a receptor for members of the epidermal growth factor family. EGFR is a cell surface protein that binds to epidermal growth factor. Binding of the protein to a ligand induces receptor dimerization and tyrosine autophosphorylation and leads to cell proliferation. Mutations in this gene are associated with lung cancer. Multiple alternatively spliced transcript variants that encode different protein isoforms have been

found for this gene. [provided by RefSeq, Jul 2010]

PRODUCT SPECIFIC PUBLICATIONS

[IF=4.292] Longfei Xiao. et al. Dihydrotestosterone regulation of cyclooxygenase-2 expression in bovine endometrial epithelium cells by androgen receptor mediated EGFR/PI3K/Akt pathway. J Steroid Biochem. 2021 Nov;214:106001 WB; Bovine. 10.1016/j.jsbmb.2021.106001