

bs-19787R**[Primary Antibody]****phospho-NFATC3 (Ser165) Rabbit pAb**

www.bioss.com.cn

sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

— DATASHEET —

Host: Rabbit	Isotype: IgG	Applications: WB (1:500-2000)
Clonality: Polyclonal		IHC-P (1:100-500)
GeneID: 4775	SWISS: Q12968	IHC-F (1:100-500)
Target: NFATC3 (Ser165)		IF (1:100-500)
Immunogen: KLH conjugated synthesised phosphopeptide derived from human NFAT4 around the phosphorylation site of Ser165: SP(p-S)PA.		ICC/IF (1:100-500)
Purification: affinity purified by Protein A		Reactivity: Mouse (predicted: Human, Rabbit, Sheep, Cow, Chicken, Horse)
Concentration: 1mg/ml		Predicted MW.: 116 kDa
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		Subcellular Location: Cytoplasm ,Nucleus
Background: Plays a role in the inducible expression of cytokine genes in T-cells, especially in the induction of the IL-2.		

— SELECTED CITATIONS —

- **[IF=3.263]** Li L et al. Sacubitril/valsartan attenuates atrial electrical and structural remodelling in a rabbit model of atrial fibrillation. Eur J Pharmacol . 2020 Aug 15;881:173120. IHC,WB ;rabbit. 32325147
- **[IF=2.6]** Qi Lou. et al. Vericiguat reduces electrical and structural remodeling in a rabbit model of atrial fibrillation. J CARDIOVASC PHARM T. ;(): IHC ;Rabbit. 37403470