



phospho-Bax (Ser184) Rabbit pAb

Catalog Number: bs-3010R

Target Protein: phospho-Bax (Ser184)

Concentration: 1mg/ml

Form: Liquid Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Applications: WB (1:500-2000), IHC-P (1:100-500), IHC-F (1:100-500), IF (1:100-500), Flow-Cyt (3µg /test),

ELISA (1:5000-10000)

Reactivity: Human, Mouse, Rat, Rabbit (predicted:Pig, Sheep, Cow, Dog)

Predicted MW: 21 kDa

Subcellular Cell membrane ,Cytoplasm

Locations:

Entrez Gene: 581 Swiss Prot: Q07812

Source: KLH conjugated Synthesised phosphopeptide derived from human Bax around the

phosphorylation site of Ser184: TA(p-S)LT.

Purification: affinity purified by Protein A

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Background: The protein encoded by this gene belongs to the BCL2 protein family. BCL2 family members

form hetero- or homodimers and act as anti- or pro-apoptotic regulators that are involved in


a wide variety of cellular activities. This protein forms a heterodimer with BCL2, and

functions as an apoptotic activator. This protein is reported to interact with, and increase the opening of, the mitochondrial voltage-dependent anion channel (VDAC), which leads to


the loss in membrane potential and the release of cytochrome c. The expression of this gene

is regulated by the tumor suppressor P53 and has been shown to be involved in P53-mediated apoptosis. Multiple alternatively spliced transcript variants, which encode different isoforms, have been reported for this gene. [provided by RefSeq, Jul 2008].


VALIDATION IMAGES




Sample:Brain(Mouse) lysate at 30ug; Primary: Anti-phospho-Bax (Ser184) (bs-3010R) at 1:200 dilution; Secondary: HRP conjugated Goat Anti-Rabbit IgG(bs-0295G-HRP) at 1: 5000 dilution; Predicted band size: 21kD Observed band size: 21kD




Sample: Testis (Mouse) Tissue Lysate at 30 ug Primary: Anti-phospho-Bax (Ser184) (bs-3010R) at 1/300 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 21 kD Observed band size: 22 kD



Paraformaldehyde-fixed, paraffin embedded (rat pancreas); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (phospho-Bax (Ser184)) Polyclonal Antibody, Unconjugated (bs-3010R) at 1:200 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.



Blank control (blue line): HL60 (fixed with 2% paraformaldehyde (10 min) and then permeabilized with 0.1% PBS-Tween for 20 min at room temperature). Primary Antibody (green line): Rabbit Anti-phospho-Bax (Ser184) antibody (bs-3010R), Dilution: $3\mu g/10^6$ cells; Isotype Control Antibody (orange line): Rabbit IgG . Secondary Antibody (white blue line): Goat anti-rabbit IgG-FITC, Dilution: $1\mu g/\text{test}$.



phosphopeptide non phosphopeptide

PRODUCT SPECIFIC PUBLICATIONS

[IF=5.52] Park, Ga Bin, et al. "Melphalan-Induced Apoptosis of EBV-Transformed B Cells through Upregulation of TAp73 and XAF1 and Nuclear Import of XPA." The Journal of Immunology (2013): 1203442. WB; = "Human". 24249729

[IF=3.568] Kyung Hye Lee. et al. Role of ATP5G3 in sodium nitroprusside-induced cell death in cervical carcinoma cells. J BIOCHEM MOL TOXIC. 2022 Dec;:e23267 WB; Human . 36524533

[IF=3.02] Park, Gabin, et al. "Berberine induces mitochondrial apoptosis of EBV-transformed B cells through p53-mediated regulation of XAF1 and GADD45 α ." International Journal of Oncology. WB; ="" . 27121748

[IF=3.23] Daverey, Amita, and Sandeep K. Agrawal. "Curcumin alleviates oxidative stress and mitochondrial dysfunction in astrocytes." Neuroscience 333 (2016): 92-103. WB; ="Human". 27423629

[IF=2.39] Gao, Xiu-Fang, et al. "Urocortin-2 suppression of p38-MAPK signaling as an additional mechanism for ischemic cardioprotection." Molecular and Cellular Biochemistry: 1-12. WB; = "Rat" . 25245818