bsm-54677R

[Primary Antibody]

BIOSS ANTIBODIES

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

EWSR1 Recombinant Rabbit mAb

- DATASHEET -

Host: Rabbit Isotype: IgG

Clonality: Recombinant

GenelD: 2130 **SWISS:** Q01844

Target: EWSR1

Purification: affinity purified by Protein A

Concentration: 1mg/ml

Storage: 1*TBS (pH7.4), 0.05% BSA, 40% Glycerol. Preservative: 0.02%

Proclin300.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated

freeze/thaw cycles.

Background: EWS is a nuclear RNA-binding protein. As a result of chromosome

translocation, the EWS gene is fused to a variety of transcription factors, including ATF-1 in human neoplasias. In the Ewing family of tumors, the N-terminal domain of EWS is fused to the DNA-binding domain of various ETS transcription factors, including Fli-1, Erg, ETV1, E1AF and FEV. The EWS/Fli-1 chimeric protein acts as a more potent transcriptional activator than Fli-1 and can promote cell transformation. Two functional regions have been identified in EWS; an amino-terminal region (domain A), that has little transactivation activity but transforms efficiently when fused

to Fli-1, and a distal region (domain B), which shows transactivation activity but transforms less efficiently when fused

to Fli-1.

Applications: WB (1:500-2000)

IHC-P (1:50-200) IHC-F (1:50-200) IF (1:50-200)

Reactivity: (predicted: Human, Mouse,

Rat)

Predicted MW.: 68 kDa

Subcellular Cell membrane ,Cytoplasm

Location: , Nucleus