bs-0377R-Bio

[Secondary Antibodies]

Rabbit Anti-Mouse IgG Fc, Biotin conjugated



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

- DATASHEET		400-901-9800
Host: Rabbit Clonality: Polyclonal Target: Rabbit Anti-Mouse Ig		Applications: WB (1:1000-10000) IHC-P (1:100-500) IHC-F (1:100-1000) IF (1:100-1000) Flow-Cyt (1:100-1000)
Purification: affinity purified by Protein A Concentration: 2.0 mg/ml		ICC/IF (1:100-1000) ELISA (1:1000-10000)
Storage: 10 mM TBS (pH=7.4) with 1% BSA, 0.03% Proclin300 and 50% glycerol. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		
serum with normal lo is important for our o molecules are produ adaptive immune re functions; to bind to recruit other cells an variability of the IgG	gG), is one of the most abundant protei evels between 8-17 mg/mL in adult bloc defence against microorganisms and the ced by B lymphocytes as a part of our sponse. The IgG molecule has two separ the pathogen that elicited the response d molecules to destroy the antigen. The pool is generated by somatic recombine becificities in an individual at a given tin be 1011 variants.	od. IgG e rate e and to e ation