

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

GPA33 Recombinant Rabbit mAb

Catalog Number: bsm-60816R

Target Protein: GPA33 Concentration: 1mg/ml

Form: Liquid Host: Rabbit

Clonality: Recombinant

Clone No.: 8G4
Isotype: IgG

Applications: IHC-P (1:100-500), IHC-F (1:100-500), IF (1:100-500)

Reactivity: Human Predicted MW: 33 kDa

Subcellular Extracellular matrix, Cell membrane

Locations:

Entrez Gene: 10223 Swiss Prot: Q99795

Purification: affinity purified by Protein A

Storage: PBS, Glycerol, BSA.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Background: The glycoprotein encoded by this gene is a cell surface antigen that is expressed in greater

than 95% of human colon cancers. The open reading frame encodes a 319-amino acid

polypeptide having a putative secretory signal sequence and 3 potential glycosylation sites.


The predicted mature protein has a 213-amino acid extracellular region, a single transmembrane domain, and a 62-amino acid intracellular tail. The sequence of the extracellular region contains 2 domains characteristic of the CD2 subgroup of the

immunoglobulin (Ig) superfamily. [provided by RefSeq, Jul 2008]

VALIDATION IMAGES



Paraformaldehyde-fixed, paraffin embedded (human colon); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Incubation with (MUC2) Monoclonal Antibody, Unconjugated (bsm-60816R) at 1:500 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.



Paraformaldehyde-fixed, paraffin embedded (Human duodenum); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Incubation with (MUC2) Monoclonal Antibody, Unconjugated (bsm-60816R) at 1:500 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.