bs-60180R

[Primary Antibody]

Butyryl-Histone H2B (Lys12) Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

- DATASHEET -

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Target: Butyryl-Histone H2B (Lys12) **Purification:** Antigen affinity purification

Concentration: 1mg/ml

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%

Shipped at 4°C. Store at -20°C for one year. Avoid repeated

freeze/thaw cycles.


Applications: WB (1:500-1:2000)

Reactivity: Human (predicted: Mouse,

Rat)

Subcellular Nucleus

- VALIDATION IMAGES -



Blocking buffer: 5% NFDM/TBST Primary ab dilution: 1:2000 Primary ab incubation condition: 2 hours at room temperature Secondary ab: Goat Anti-Rabbit IgG H&L (HRP) Lysate: (-) HeLa, (+) HeLa+Sodium butyrate (30 mM, 4 hr) Protein loading quantity: $20 \mu g$ Exposure time: 60 s Predicted MW: 14 kDa Observed MW: 14 kDa