



Recombinant mouse CXCL2 protein, N-His

Catalog Number: bs-42278P

Concentration: >0.5mg/ml

Species: Mouse

AA Seq: 28-100/100

Predicted MW: 11.7

Tags: N-His

Endotoxin: Not analyzed

Purity: >90% as determined by SDS-PAGE

Purification: AC

Form: Lyophilized or Liquid

Storage: 20mM Tris-HCl (pH8.0) with 150mM NaCL.

Stored at -70°C or -20°C. Avoid repeated freeze/thaw cycles.

Background: GRO beta is a member of the CXC, or chemokine class. It contains the ELR domain

immediately preceding the first cysteine residue near the amino terminus. Other

chemokines in this group include IL8, GRO alpha/beta/gamma, mouse KC, ENA78, GCP2,

PBP/CTAPIII/beta TG/NAP2. These chemokines act primarily on neutrophils as

chemoattractants and activators, including neutrophil degradation with release of

myloperoxidase and other enzymes. GRO beta was originally identified as a heparin-binding

protein secreted from a murine macrophage cell line in response to endotoxin stimulation. GRO beta is an approximately 8 kDa polypeptide of 73 amino acids. The precursor form of

GRO beta consists of 100 amino acids. To generate the mature GRO beta, the precursor

cleaves its amino terminal 27 amino acids. GRO beta shows 60% amino acid homology to

human GRO alpha and GRO gamma.

VALIDATION IMAGES



The purity of the protein is greater than 90% as determined by reducing SDS-PAGE.