bs-0309R-BF488

[Secondary Antibodies]

Rabbit Anti-Pig IgG H&L, BF488 conjugated



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

- DATASHEET		400-901-9800
Host: Rabbit Clonality: Polyclonal	lsotype: IgG	Applications: IF (1:100-1000) Flow-Cyt (1:100-1000)
Target: Rabbit Anti-Pig IgG H&L Purification: affinity purified by Protein A Concentration: 2.0 mg/ml		ICC/IF (1:100-1000) Excitation Spectrum: 488nm Emission spectrum: 519nm Reactivity: Pig
glycerol.	with 1% BSA, 0.03% Proclin300 and 5 e year. Avoid repeated freeze/thaw cy	
serum with normal lo is important for our o molecules are produ adaptive immune re functions; to bind to recruit other cells an variability of the IgG	gG), is one of the most abundant prot evels between 8-17 mg/mL in adult bla lefence against microorganisms and f ced by B lymphocytes as a part of our sponse. The IgG molecule has two sep the pathogen that elicited the respon d molecules to destroy the antigen. T pool is generated by somatic recomb becificities in an individual at a given t be 1011 variants.	ood. IgG the parate use and to he ination