## bs-0295G-PerCP-Cy5.5 [Secondary Antibodies]

## Goat Anti-Rabbit IgG H&L, PerCP-Cy5.5 conjugated



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

- DATASHEET		400-901-9800
Host: Goat Clonality: Polyclonal	<b>lsotype:</b> IgG	Applications: IF (1:100-1000) Flow-Cyt (1:100-1000)
Target: Goat Anti-Rabbit IgG H&L Immunogen: Native Rabbit IgG: full length.		ICC/IF (1:100-1000) Excitation Spectrum: 482nm Emission spectrum: 694nm Reactivity: Rabbit
<b>Purification:</b> affinity purified by Pro <b>Storage:</b> 0.01M PBS (pH7.4). Store at -20°C stable freeze/thaw cycles.	otein G or 2 years (lyophilized powder). Avoid	
serum with normal le important for our def are produced by B lyr response. The IgG mo the pathogen that eli molecules to destroy generated by somatic	G), is one of the most abundant protectivels between 8-17 mg/mL in adult blocence against microorganisms and the hphocytes as a part of our adaptive im lecule has two separate functions; to cited the response and to recruit other the antigen. The variability of the IgG recombination and the number of sp ven time point is estimated to be 101	od. IgG is molecules nmune bind to r cells and pool is ecificities