bs-6137R

[Primary Antibody]

CtIP Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

- DATASHEET		400-901-9800
Host: Rabbit	Isotype: IgG	Applications: WB (1:500-2000) IHC-P (1:100-500)
Clonality: Polyclonal		IHC-F (1:100-500)
GenelD: 5932	SWISS: Q99708	IF (1:100-500)
Target: CtIP		ELISA (1:5000-10000)
Immunogen: KLH conjugated synthetic peptide derived from human CtIP/RBBP8: 621-720/897.		Reactivity: (predicted: Human, Mouse, Rat, Pig, Chicken)
Purification: affinity puri	fied by Protein A	
Concentration: 1mg/ml		Prodictod
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		Predicted 102 kDa MW.: ^{102 kDa} Subcellular Location: ^{Nucleus}
nuclear pro directly to re proliferation repressor C modulate th repair, and/ gene may it as BRCA1. T isoforms ha	encoded by this gene is a ubiquitously expressed tein. It is found among several proteins that bind etinoblastoma protein, which regulates cell n. This protein complexes with transcriptional co- TBP. It is also associated with BRCA1 and is thought he functions of BRCA1 in transcriptional regulation, 'or cell cycle checkpoint control. It is suggested that self be a tumor suppressor acting in the same pathy hree transcript variants encoding two different we been found for this gene. More transcript variant leir full-length natures have not been determined.	DNA t this way