

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

SORCS3 Rabbit pAb

Catalog Number: bs-11503R

Target Protein: SORCS3
Concentration: 1mg/ml

Form: Liquid

Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Applications: IHC-P (1:100-500), IHC-F (1:100-500), IF (1:100-500)

Reactivity: Rat (predicted: Human, Mouse, Pig, Sheep, Cow, Chicken, Dog)

Predicted MW: 132 kDa Entrez Gene: 22986

Source: KLH conjugated synthetic peptide derived from human SORCS3: 201-300/1222.

Purification: affinity purified by Protein A

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Background: This gene encodes one family member of vacuolar protein sorting 10 (VPS10) domain-

containing receptor proteins. The VPS10 domain name comes from the yeast

carboxypeptidase Y sorting receptor Vps10 protein. Members of this gene family are large

with many exons but the CDS lengths are usually less than 3700 nt. Very large introns


typically separate the exons encoding the VPS10 domain; the remaining exons are separated

by much smaller-sized introns. These genes are strongly expressed in the central nervous

system. Two of the five family members (sortilin and sortilin-related receptor) are synthesized as preproproteins; it is not yet known if this encoded protein is also a

preproprotein.

VALIDATION IMAGES



Paraformaldehyde-fixed, paraffin embedded (rat brain); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (SORCS3) Polyclonal Antibody, Unconjugated (bs-11503R) at 1:200 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.