## [ Primary Antibody ]

## phospho-BRAF (Ser444) Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET –––––		400-901-9800
Host: Rabbit	Isotype: IgG	Applications: ELISA (1:5000-10000)
Clonality: Polyclonal		<b>Reactivity:</b> Human (predicted: Mouse,
<b>GeneID:</b> 673	SWISS: P15056	Rat, Rabbit, Pig, Chicken,
Target: BRAF (Ser444)		Dog, Horse)
Immunogen: KLH conjugated Synthesised phosphopeptide derived from human BRAF around the phosphorylation site of Ser444: PG(p-S)LT.		Predicted 94 kDa
Purification: affinity purified by Protein A		Subcellular Cell membrane ,Cytoplasm Location: ,Nucleus
Concentration: 1mg/ml		
<b>Storage:</b> 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		
<b>Background:</b> This gene encodes a protein belonging to the RAF family of serine/threonine protein kinases. This protein plays a role in regulating the MAP kinase/ERK signaling pathway, which affects cell division, differentiation, and secretion. Mutations in this gene, most commonly the V600E mutation, are the most frequently identified cancer-causing mutations in melanoma, and have been identified in various other cancers as well, including non-Hodgkin lymphoma, colorectal cancer, thyroid carcinoma, non-small cell lung carcinoma, hairy cell leukemia and adenocarcinoma of lung. Mutations in this gene are also associated with cardiofaciocutaneous, Noonan, and Costello syndromes, which exhibit overlapping phenotypes. A pseudogene of this gene has been identified on the X chromosome. [provided by RefSeq, Aug 2017]		