

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

COUP-TF1 Rabbit pAb

Catalog Number: bs-20421R Target Protein: COUP-TF1 Concentration: 1mg/ml

> Form: Liquid Host: Rabbit Clonality: Polyclonal

Isotype: IgG

Applications: IHC-P (1:100-500), IHC-F (1:100-500), IF (1:100-500) Reactivity: Rat (predicted: Human, Mouse, Pig, Sheep, Cow)

Predicted MW: 46 kDa Entrez Gene: 7025 Swiss Prot: P10589

Source: KLH conjugated synthetic peptide derived from human COUP-TF1: 21-120/423.

Purification: affinity purified by Protein A

Storage: Preservative: 0.02% Proclin300, Constituents: 1% BSA, 0.01M PBS, pH7.4.


Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Background: COUP transcription factors have been cloned in several species and identified as orphan

members of the steroid/thyroid hormone receptor superfamily. COUP-TFI (also designated COUP or EAR-3) and ARP-1 (also designated COUP-TFII) exhibit highly regulated and overlapping expression in most tissues. COUP-TFs are highly expressed in the developing and central nervous system, suggesting that these factors may be important in neural development and differentiation. COUP-TFs can compete for binding to response elements which are common to other members of this family, including RAR, RXR, PPAR, HNF-4, VDR and TR. They have been shown to act as negative regulators as well as initiators of

transcription.

VALIDATION IMAGES



Paraformaldehyde-fixed, paraffin embedded (rat lung tissue); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (COUP-TF1) Polyclonal Antibody, Unconjugated (bs-20421R) at 1:400 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.