bsm-60085M

[Primary Antibody]

Bioss ANTIBODIES

Di/Tri-Methyl-Histone H4 (Lys20) Recombinant Mouse mAb

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

- DATASHEET -

Host: Mouse Isotype: IgG
Clonality: Recombinant CloneNo.: G9B11

Target: Di/Tri-Methyl-Histone H4 (Lys20) **Purification:** affinity purified by Protein G

Concentration: 1mg/ml

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%

Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated

freeze/thaw cycles.

Background: Histones are basic nuclear proteins that are responsible for the

nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a member of the histone H4 family. Transcripts from this gene lack polyA tails; instead, they contain a palindromic termination element.

[provided by RefSeq, Jul 2008]

Applications: WB (1:500-2000)


IHC-P (1:100-500) IHC-F (1:100-500) IF (1:100-500)

Reactivity: Human (predicted: Mouse,


Rat)

Subcellular Nucleus

VALIDATION IMAGES



Blocking buffer: 5% NFDM/TBST Primary ab dilution: 1:2000 Primary ab incubation condition: 2 hours at room temperature Secondary ab: Goat Anti-Mouse IgG H&L (HRP) Lysate: HeLa, N2a, BRL, Mouse spleen, Mouse kidney, rH4 Protein loading quantity: 20 µg Exposure time: 30 s Predicted MW: 11 kDa Observed MW: 11 kDa



Tissue: Human neuroblastoma Section type:
Formalin fixed & Paraffin -embedded section
Retrieval method: High temperature and high
pressure Retrieval buffer: Tris/EDTA buffer, pH
9.0 Primary ab dilution: 1:100 Primary ab
incubation condition: 1 hour at room
temperature Secondary ab: SP
Kit(Mouse)(sp-0024) Counter stain: Hematoxylin
(Blue) Comment: Color brown is the positive
signal for bsm-60085M