

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

LATS1 Rabbit pAb

Catalog Number: bs-2904R

Target Protein: LATS1
Concentration: 1mg/ml

Form: Liquid

Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Applications: ICC/IF (1:25)

Reactivity: Human (predicted:Mouse, Rat, Rabbit, Pig, Cow, Chicken, Horse)

Predicted MW: 124 kDa Entrez Gene: 26524

Swiss Prot: Q9NRM7

Source: KLH conjugated synthetic peptide derived from human LATS1: 821-950/1130.

Purification: affinity purified by Protein A

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.


Background: This gene encodes a serine/threonine protein kinase belonging to the LATS tumor

suppressor family. The protein localizes to centrosomes during interphase, and early and late metaphase. It interacts with the centrosomal proteins aurora-A and ajuba and is required for accumulation of gamma-tubulin and spindle formation at the onset of mitosis. It also interacts with a negative regulator of p53 and may function in a positive feedback

loop with p53 that responds to cytoskeleton damage. Additionally, it can function as a co-

repressor of androgen-responsive gene expression. [provided by RefSeq].

VALIDATION IMAGES



Hela cell; 4% Paraformaldehyde-fixed; Triton X-100 at room temperature for 20 min; Blocking buffer (normal goat serum, C-0005) at 37°C for 20 min; Antibody incubation with (LATS1) polyclonal Antibody, Unconjugated (bs-2904R) 1:25, 90 minutes at 37°C; followed by a conjugated Goat Anti-Rabbit IgG antibody at 37°C for 90 minutes, DAPI (blue, C02-04002) was used to stain the cell nuclei.

PRODUCT SPECIFIC PUBLICATIONS

[IF=4.6] Jiaxu Zhou. et al. JTE-013 Alleviates Pulmonary Fibrosis by Affecting the RhoA/YAP Pathway and Mitochondrial Fusion/Fission. PHARMACEUTICALS-BASE. 2023 Oct;16(10):1444 WB; Mouse . 37895915

[IF=4.5] Shouying Xu. et al. ARID1A restrains EMT and stemness of ovarian cancer cells through the Hippo pathway. INT J ONCOL. 2024 Aug;65(2):1-11 WB; Human . 38873993

[IF=4.7] Tianwei Dong. et al.Cannabidiol Ameliorates Doxorubicin-Induced Myocardial Injury via Activating Hippo Pathway.DRUG DESIGN DEVELOPMENT AND THERAPY.2025 Jan 24:19:569-583. Western blot; Rat, mouse . 39876987

[IF=4.174] Zhao, Boyuan. et al. Shear stress regulates the migration of suspended breast cancer cells by nuclear lamina protein A/C and large tumor suppressor through yes-associated protein. Hum Cell. 2022 Jan;:1-16 WB; Human . 34984662