

bs-6136R

[Primary Antibody]

Adenovirus 5 E1A Rabbit pAb

Bioss
ANTIBODIES

www.bioss.com.cn

sales@bioss.com.cn


techsupport@bioss.com.cn

400-901-9800


— DATASHEET —

Host: Rabbit	Isotype: IgG	Applications: WB (1:500-2000)
Clonality: Polyclonal		Reactivity: ADV
Target: Adenovirus 5 E1A		Predicted MW.: 32 kDa
Immunogen: KLH conjugated synthetic peptide derived from human Adenovirus 5 E1A: 181-280/289.		
Purification: affinity purified by Protein A		
Concentration: 1mg/ml		
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		

— VALIDATION IMAGES —



Sample: Lane 1: Recombinant ADV 5E1A protein, His
Primary: Anti- Adenovirus 5 E1A (bs-6136R) at 1/1000 dilution
Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution
Predicted band size: 32 kDa
Observed band size: 40 kDa



Sample: Lane 1: Recombinant Adenovirus 5 E1A protein (50ng) (bs-41297P)
Primary: Anti- Adenovirus 5 E1A (bs-6136R) at 1/1000 dilution
Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution
Predicted band size: 32kDa
Observed band size: 40kDa

— SELECTED CITATIONS —

- **[IF=8.3]** PeterMalin. et al. Oncolytic viruses expressing MATEs facilitate target-independent T-cell activation in tumors. EMBO MOL MED. 2025 一月 09 IHC ;Mouse. 39789356