

**bs-9295R****[ Primary Antibody ]****ANKRD17 Rabbit pAb**

www.bioss.com.cn

sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

**— DATASHEET —**

<b>Host:</b> Rabbit	<b>Isotype:</b> IgG	<b>Applications:</b> IHC-P (1:100-500) IHC-F (1:100-500) IF (1:50-200) ELISA (1:5000-10000)  <b>Reactivity:</b> (predicted: Human, Mouse, Rat, Rabbit, Pig, Sheep, Cow, Chicken, Dog)  <b>Predicted MW.:</b> 274 kDa  <b>Subcellular Location:</b> Cytoplasm ,Nucleus
<b>Clonality:</b> Polyclonal		
<b>GeneID:</b> 26057	<b>SWISS:</b> O75179	
<b>Target:</b> ANKRD17		
<b>Immunogen:</b> KLH conjugated synthetic peptide derived from human ANKRD17: 1501-1600/2603.		
<b>Purification:</b> affinity purified by Protein A		
<b>Concentration:</b> 1mg/ml		
<b>Storage:</b> 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		
<b>Background:</b> · The protein encoded by this gene belongs to the family of ankyrin repeat-containing proteins, and contains two distinct arrays of ankyrin repeats in its amino-terminal region, one with 15 ankyrin repeats, and the other with 10 ankyrin repeats. It also contains a nuclear export signal, nuclear localization signal, and a cyclin-binding RXL motif. Localization of this protein to the nucleus has been shown experimentally, and interactions between this protein and cyclin-dependent kinase 2 have been observed. It has been suggested that this protein plays a role in both DNA replication and in both anti-viral and anti-bacterial innate immune pathways. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Dec 2015]		