## bs-18569R

## [ Primary Antibody ]

## LYNX1 Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

| - DATASHEET  |   | 400-901-9800  |
|--|---|---|
| Host: Rabbit<br>Clonality: Polyclonal  | <b>Isotype:</b> IgG   | Applications: IHC-P (1:100-500)<br>IHC-F (1:100-500)<br>IF (1:100-500)        |
| GenelD: 66004<br>Target: LYNX1   |   | ICC/IF (1:100-500)<br>ELISA (1:5000-10000)                                    |
| Immunogen: KLH conjugated synthetic peptide derived from human LYNX1: 51-100/116.  |   | : <b>Reactivity:</b> (predicted: Human)                                       |
| Purification: affinity purified by P   | rotein A  |   |
| Concentration: 1mg/ml  |   | Predicted   |
| <b>Storage:</b> 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%<br>Glycerol.<br>Shipped at 4°C. Store at -20°C for one year. Avoid repeated<br>freeze/thaw cycles.                     |   | Predicted<br>MW.: <sup>12 kDa</sup><br>Subcellular<br>Location: Cell membrane |
| group of lymphocyte<br>glycosylphosphatidy<br>showing conserved &<br>spacing pattern. Fun<br>not a ligand or neurc<br>nicotinic acetylcholi<br>acetylcholine. This g<br>psoriasis vulgaris. Al | member of the Ly-6/neurotoxin gene fam<br>e antigens that attach to the cell surface by<br>linositol anchor and have a unique structi<br>8-10 cysteine residues with a characteristic<br>actional analysis indicates that this proteir<br>otransmitter but has the capacity to enhar<br>ne receptor function in the presence of<br>ene may also play a role in the pathogene<br>ternatively spliced variants encoding diffe<br>identified. [provided by RefSeq, Jul 2008] | y a<br>ure<br>c<br>n is<br>nce<br>sis of                                      |