

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

## **OLFML2B Rabbit pAb**

Catalog Number: bs-19640R

Target Protein: OLFML2B Concentration: 1mg/ml

Form: Liquid

Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Applications: WB (1:500-2000), IHC-P (1:100-500), IHC-F (1:100-500), IF (1:100-500)

Reactivity: Human, Mouse (predicted:Cow)

Predicted MW: 84 kDa Entrez Gene: 25903 Swiss Prot: Q68BL8


**Source:** KLH conjugated synthetic peptide derived from human OLFML2B: 451-550/750.

Purification: affinity purified by Protein A


Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

## **VALIDATION IMAGES**



Sample: Eye (Mouse) Lysate at 40 ug Epithelium (Mouse) Lysate at 40 ug Primary: Anti-OLFML2B(bs-19640R)at 1/300 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 84kD Observed band size: 84kD



Paraformaldehyde-fixed, paraffin embedded (Human cervical carcinoma); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (OLFML2B) Polyclonal Antibody, Unconjugated (bs-19640R) at 1:400 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.



Paraformaldehyde-fixed, paraffin embedded (Human brain glioma); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (OLFML2B) Polyclonal Antibody, Unconjugated (bs-19640R) at 1:400 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.

## PRODUCT SPECIFIC PUBLICATIONS

[IF=3.288] Liu J et al. Bioinformatic exploration of OLFML2B overexpression in gastric cancer base on multiple analyzing tools.BMC Cancer. 2019 Mar 13;19(1):227. IHC; Human. 30866865