


bsm-62913R**[Primary Antibody]****MUC16 Recombinant Rabbit mAb****BioSS**
ANTIBODIES

www.bioss.com.cn


sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

— DATASHEET —**Host:** Rabbit**Isotype:** IgG**Clonality:** Recombinant**CloneNo.:** 7F8**GeneID:** 94025**SWISS:** Q8WXI7**Target:** MUC16**Immunogen:** A synthesized peptide derived from human Mucin 16: 12260-12320.**Purification:** affinity purified by Protein A**Storage:** 10mM phosphate buffered saline(pH 7.4) with 150mM sodium chloride, 0.05% BSA, 0.02% Proclin300 and 50% glycerol. Store at 4°C for short term. Store at -20°C for long term. Avoid repeated freeze/thaw cycles.**Background:** Thought to provide a protective, lubricating barrier against particles and infectious agents at mucosal surfaces.**Applications:** **IHC-P** (1:50-1:200)**IHC-F** (1:50-1:200)**IF** (1:50-1:200)**Reactivity:** Human**Predicted
MW.:** 1519**Subcellular
Location:** Secreted ,Cell membrane**— VALIDATION IMAGES —**

Paraformaldehyde-fixed, paraffin embedded Human ovarian cancer;Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Antibody incubation with MUC16 Monoclonal Antibody, Unconjugated (bsm-62913R) at 1:200 overnight at 4°C, followed by conjugation to the bs-0295G-HRP and DAB (C-0010) staining.



Paraformaldehyde-fixed, paraffin embedded Human Uterus;Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Antibody incubation with MUC16 Monoclonal Antibody, Unconjugated (bsm-62913R) at 1:200 overnight at 4°C, followed by conjugation to the bs-0295G-HRP and DAB (C-0010) staining.