bsm-62952R

[Primary Antibody]

Bioss ANTIBODIES

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

PKC Recombinant Rabbit mAb

- DATASHEET -

Host: Rabbit Isotype: IgG
Clonality: Recombinant CloneNo.: 9A1
GeneID: 5579 SWISS: P05771

Target: PKC

Immunogen: A synthesized peptide derived from human PKC: 450-671/671.

Purification: affinity purified by Protein A

Storage: 10mM phosphate buffered saline(pH 7.4) with 150mM sodium chloride, 0.05% BSA, 0.02% Proclin300 and 50% glycerol.

Store at 4°C for short term. Note at -20°C for long term. Avoid

repeated freeze/thaw cycles.

Background: Calcium-activated, phospholipid- and diacylglycerol (DAG)-

dependent serine/threonine-protein kinase involved in various cellular processes such as regulation of the B-cell receptor (BCR) signalosome, oxidative stress-induced apoptosis, androgen receptor-dependent transcription regulation, insulin signaling and endothelial

cells proliferation.

Applications: WB (1:500-2000)


IHC-P (1:50-200) IHC-F (1:50-200) IF (1:50-200) ICC/IF (1:50-200) IP (1:20-50)

Reactivity: Human, Mouse, Rat


Predicted 77,78

Subcellular Cell membrane ,Cytoplasm **Location:** ,Nucleus

VALIDATION IMAGES



Paraformaldehyde-fixed, paraffin embedded Human Breast Cancer; Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Antibody incubation with PKC Monoclonal Antibody, Unconjugated (bsm-62952R) at 1:200 overnight at 4°C, followed by conjugation to the bs-0295G-HRP and DAB (C-0010) staining.



Paraformaldehyde-fixed, paraffin embedded Human Kidney; Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Antibody incubation with PKC Monoclonal Antibody, Unconjugated(bsm-62952R) at 1:200 overnight at 4°C, followed by conjugation to the bs-0295G-HRP and DAB (C-0010) staining.

- SELECTED CITATIONS -

• [IF=3.8] Gęgotek Agnieszka. et al. Proteomic analysis of the combined effects of cannabigerol and 3-O-ethyl ascorbic acid on kinase-dependent signalling in UVB-irradiated human keratinocytes. SCI REP-UK. 2024 Nov;14(1):1-11 WB;Human. 39537961