

bsm-62979R**[Primary Antibody]**

www.bioss.com.cn


sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

FATP4 Recombinant Rabbit mAb**— DATASHEET —**

Host: Rabbit	Isotype: IgG	Applications: WB (1:1000-1:2000) IHC-P (1:100-1:200) IHC-F (1:100-1:200) IF (1:50-1:200) ICC/IF (1:50-1:200) IP (1:20-1:50) Reactivity: Human Predicted MW.: 72 Subcellular Location: Cell membrane
Clonality: Recombinant		
GeneID: 10999	SWISS: Q6P1M0	
Target: FATP4		
Immunogen: A synthesized peptide derived from human FATP 4: 400-643.		
Purification: affinity purified by Protein A		
Storage: 10mM phosphate buffered saline(pH 7.4) with 150mM sodium chloride, 0.05% BSA, 0.02% Proclin300 and 50% glycerol. Store at 4°C for short term. Store at -20°C for long term. Avoid repeated freeze/thaw cycles.		
Background: Mediates the levels of long-chain fatty acids (LCFA) in the cell by facilitating their transport across cell membranes. Appears to be the principal fatty acid transporter in small intestinal enterocytes. Also functions as an acyl-CoA ligase catalyzing the ATP-dependent formation of fatty acyl-CoA using LCFA and very-long-chain fatty acids (VLCFA) as substrates, which prevents fatty acid efflux from cells and might drive more fatty acid uptake.		

— VALIDATION IMAGES —

Western blot analysis of HepG2 cell lysate. Using FATP4 (bsm-62979R) monoclonal antibody at 1:1000 dilution and 4°C overnight incubation. Followed by conjugated secondary antibody incubation at r.t. for 60 min.