

bsm-62990R

[Primary Antibody]

Bioss
ANTIBODIES

www.bioss.com.cn

sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

TFF3 Recombinant Rabbit mAb

— DATASHEET —

Host: Rabbit

Clonality: Recombinant

GeneID: 7033

Target: TFF3

Isotype: IgG

CloneNo.: 1F11

SWISS: Q07654

Immunogen: A synthesized peptide derived from human Trefoil factor 3: 50-80/80.

Purification: affinity purified by Protein A

Storage: 10mM phosphate buffered saline(pH 7.4) with 150mM sodium chloride, 0.05% BSA, 0.02% Proclin300 and 50% glycerol. Store at 4°C for short term. Store at -20°C for long term. Avoid repeated freeze/thaw cycles.

Background: Involved in the maintenance and repair of the intestinal mucosa. Promotes the mobility of epithelial cells in healing processes (motogen).

Applications: WB (1:1000-2000)

IHC-P (1:100-200)

IHC-F (1:100-200)

IF (1:100-200)


IP (1:20-50)

Reactivity: Human


**Predicted
MW.:** 9

**Subcellular
Location:** Secreted ,Extracellular
matrix ,Cytoplasm


— VALIDATION IMAGES —



Western blot analysis of human small intestine lysate. Using TFF3 (bsm-62990R) monoclonal antibody at 1:1000 dilution and 4°C overnight incubation. Followed by conjugated secondary antibody incubation at r.t. for 60 min.



Paraformaldehyde-fixed, paraffin embedded Human Small Intestine; Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Antibody incubation with TFF3 Monoclonal Antibody, Unconjugated(bsm-62990R) at 1:200 overnight at 4°C, followed by conjugation to the bs-0295G-HRP and DAB (C-0010) staining.



Paraformaldehyde-fixed, paraffin embedded Human Colon; Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min; Antibody incubation with TFF3 Monoclonal Antibody, Unconjugated(bsm-62990R) at 1:200 overnight at 4°C, followed by conjugation to the bs-0295G-HRP and DAB (C-0010) staining.