bsm-63000R

[Primary Antibody]

Bioss ANTIBODIES

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

TRIM28 Recombinant Rabbit mAb

- DATASHEET -

Host: Rabbit Isotype: IgG
Clonality: Recombinant CloneNo.: 7H4
GeneID: 10155 SWISS: Q13263

Target: TRIM28

Immunogen: A synthesized peptide derived from human TIF1 beta: 300-361.

Purification: affinity purified by Protein A

Storage: 10mM phosphate buffered saline(pH 7.4) with 150mM sodium

chloride, 0.05% BSA, 0.02% Proclin300 and 50% glycerol. Store at 4°C for short term. Store at -20°C for long term. Avoid

repeated freeze/thaw cycles.

Background: Nuclear corepressor for KRAB domain-containing zinc finger proteins

(KRAB-ZFPs). Mediates gene silencing by recruiting CHD3, a subunit of the nucleosome remodeling and deacetylation (NuRD) complex, and SETDB1 (which specifically methylates histone H3 at 'Lys-9' (H3K9me)) to the promoter regions of KRAB target genes. Enhances transcriptional repression by coordinating the increase in H3K9me, the decrease in histone H3 'Lys-9 and 'Lys-14' acetylation (H3K9ac and H3K14ac, respectively) and the disposition of HP1 proteins to

silence gene expression.

Applications: WB (1:500-5000)


IHC-P (1:50-200) IHC-F (1:50-200) IF (1:50-200) Flow-Cyt (1:20-50) ICC/IF (1:50-200)

Reactivity: Human, Mouse, Rat

Predicted 89

Subcellular Location: Nucleus

VALIDATION IMAGES



25 ug total protein per lane of various lysates (see on figure) probed with TRIM28 monoclonal antibody, unconjugated (bsm-63000R) at 1:5000 dilution and 4°C overnight incubation. Followed by conjugated secondary antibody incubation at r.t. for 60 min.