bsm-63012R

[Primary Antibody]

Bioss ANTIBODIES

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

USP22 Recombinant Rabbit mAb

- DATASHEET -

Host: Rabbit Isotype: IgG
Clonality: Recombinant CloneNo.: 7A3
GeneID: 23326 SWISS: Q9UPT9

Target: USP22

Immunogen: A synthesized peptide derived from human USP22: 1-200.

Purification: affinity purified by Protein A

Storage: 10mM phosphate buffered saline(pH 7.4) with 150mM sodium chloride, 0.05% BSA, 0.02% Proclin300 and 50% glycerol.

Store at 4°C for short term. Store at -20°C for long term. Avoid

repeated freeze/thaw cycles.

Background: Deubiquitinase that plays a role in several cellular processes

including transcriptional regulation, cell cycle progression or innate immunity. As part of the transcription regulatory histone acetylation (HAT) complex SAGA, catalyzes the deubiquitination of both histones

H2A and H2B, thereby acting as a transcriptional coactivator.

Applications: WB (1:500-2000)

ICC/IF (1:50-200) IP (1:20-50)

Reactivity: Mouse, Rat

(predicted: Human)

Predicted 60

Subcellular Nucleus

- VALIDATION IMAGES -



25 ug total protein per lane of various lysates (see on figure) probed with USP22 monoclonal antibody, unconjugated (bsm-63012R) at 1:1000 dilution and 4°C overnight incubation. Followed by conjugated secondary antibody incubation at r.t. for 60 min.